

Report Created: 5/14/2015 11:45:38 AM

Basinwide Summary: May 1, 2015
 (averages based on 1981-2010 reference period)

| Reservoir Storage Summary for the end of April 2015 | | | | | | | | | | |
|---|------------------|--------------------|------------------|-------------------|-----------------------|-------------------------|-----------------------|----------------------|------------------------|--|
| Bear River | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Bear Lake | 596.7 | 613.6 | 651.7 | 1302.0 | 46% | 47% | 50% | 92% | 94% | |
| Hyrum Reservoir | 14.8 | 14.6 | 14.1 | 15.3 | 96% | 95% | 92% | 105% | 103% | |
| Porcupine Reservoir | 10.8 | 11.9 | 10.1 | 11.3 | 96% | 105% | 89% | 107% | 117% | |
| Woodruff Creek | 4.0 | 4.0 | 3.8 | 4.0 | 100% | 100% | 95% | 105% | 105% | |
| Woodruff Narrows Reservoir | 54.5 | 38.1 | 45.5 | 57.3 | 95% | 67% | 79% | 120% | 84% | |
| Basin-wide Total | 680.8 | 682.1 | 725.2 | 1389.9 | 49% | 49% | 52% | 94% | 94% | |
| # of reservoirs | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| Weber Ogden Rivers | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Causey Reservoir | 7.1 | 5.9 | 5.0 | 7.1 | 99% | 83% | 70% | 141% | 118% | |
| East Canyon Reservoir | 31.5 | 30.4 | 40.4 | 49.5 | 64% | 61% | 82% | 78% | 75% | |
| Echo Reservoir | 45.6 | 42.7 | 54.4 | 73.9 | 62% | 58% | 74% | 84% | 79% | |
| Lost Creek Reservoir | 15.0 | 14.6 | 14.6 | 22.5 | 67% | 65% | 65% | 103% | 100% | |
| Pineview Reservoir | 77.1 | 82.5 | 79.9 | 110.1 | 70% | 75% | 73% | 96% | 103% | |
| Rockport Reservoir | 45.0 | 36.1 | 40.1 | 60.9 | 74% | 59% | 66% | 112% | 90% | |
| Willard Bay | 92.4 | 106.2 | 158.7 | 215.0 | 43% | 49% | 74% | 58% | 67% | |
| Smith And Morehouse Reservoir | 6.9 | 5.2 | 4.5 | 81.0 | 9% | 6% | 6% | 153% | 116% | |
| Basin-wide Total | 320.5 | 323.6 | 397.6 | 620.0 | 52% | 52% | 64% | 81% | 81% | |
| # of reservoirs | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| Provo R Utah Lake Jordan R | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Deer Creek Reservoir | 145.8 | 134.6 | 122.0 | 149.7 | 97% | 90% | 81% | 119% | 110% | |
| Strawberry Reservoir | 845.9 | 850.8 | 678.4 | 1105.9 | 76% | 77% | 61% | 125% | 125% | |
| Utah Lake | 555.1 | 687.4 | 830.9 | 870.9 | 64% | 79% | 95% | 67% | 83% | |
| Jordanelle Reservoir | 211.7 | 170.0 | 247.1 | 320.0 | 66% | 53% | 77% | 86% | 69% | |
| Basin-wide Total | 1758.5 | 1842.7 | 1878.4 | 2446.5 | 72% | 75% | 77% | 94% | 98% | |
| # of reservoirs | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| Tooele Valley Vernon Creek | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Vernon Creek Reservoir | 0.5 | 0.7 | 0.6 | 0.6 | 88% | 108% | 97% | 91% | 112% | |
| Settlement Canyon Reservoir | 0.4 | 0.5 | 0.8 | 1.0 | 38% | 52% | 80% | 48% | 65% | |
| Grantsville Reservoir | 1.6 | 2.1 | 2.8 | 3.3 | 48% | 64% | 85% | 57% | 76% | |
| Basin-wide Total | 2.5 | 3.3 | 4.2 | 4.9 | 51% | 67% | 85% | 60% | 79% | |
| # of reservoirs | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| Northeastern Uintahs | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Flaming Gorge Reservoir | 3207.4 | 2968.0 | 3039.0 | 3749.0 | 86% | 79% | 81% | 106% | 98% | |
| Stateline Reservoir | 11.5 | 9.0 | 6.3 | 12.0 | 96% | 75% | 53% | 183% | 143% | |
| Meeks Cabin Reservoir | 30.2 | 21.9 | 16.5 | 32.5 | 93% | 67% | 51% | 183% | 133% | |
| Basin-wide Total | 3249.1 | 2998.9 | 3061.8 | 3793.5 | 86% | 79% | 81% | 106% | 98% | |
| # of reservoirs | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| Duchesne River | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Steinaker Reservoir | 15.8 | 15.0 | 25.3 | 33.4 | 47% | 45% | 76% | 62% | 59% | |
| Red Fleet Reservoir | 12.4 | 12.5 | 19.8 | 25.7 | 48% | 49% | 77% | 62% | 63% | |
| Big Sand Wash Reservoir | 24.3 | 24.6 | | 25.7 | 95% | 96% | | | | |
| Upper Stillwater Reservoir | 5.6 | 1.8 | 2.9 | 32.5 | 17% | 6% | 9% | 194% | 63% | |
| Starvation Reservoir | 162.7 | 162.7 | 151.9 | 165.3 | 98% | 98% | 92% | 107% | 107% | |
| Moon Lake Reservoir | 36.4 | 26.1 | 27.6 | 35.8 | 102% | 73% | 77% | 132% | 94% | |
| Currant Creek Reservoir | 15.3 | 14.3 | 14.9 | 15.5 | 99% | 92% | 96% | 103% | 96% | |
| Strawberry Reservoir | 845.9 | 850.8 | 678.4 | 1105.9 | 76% | 77% | 61% | 125% | 125% | |
| Basin-wide Total | 1094.1 | 1083.2 | 920.8 | 1414.1 | 77% | 77% | 65% | 119% | 118% | |
| # of reservoirs | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| Price San Rafael | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Joes Valley Reservoir | 42.0 | 34.4 | 40.1 | 61.6 | 68% | 56% | 65% | 105% | 86% | |
| Millsite | 11.8 | 11.6 | 11.2 | 16.7 | 71% | 70% | 67% | 105% | 104% | |
| Huntington North Reservoir | 3.5 | 3.9 | 3.9 | 4.2 | 82% | 92% | 93% | 88% | 99% | |
| Cleveland Lake | 4.7 | 3.7 | | 5.4 | 87% | 68% | | | | |
| Miller Flat Reservoir | 4.0 | 3.3 | | 5.2 | 76% | 63% | | | | |
| Scofield Reservoir | 28.0 | 20.7 | 33.2 | 65.8 | 43% | 31% | 50% | 84% | 62% | |
| Basin-wide Total | 85.3 | 70.5 | 88.4 | 148.3 | 57% | 48% | 60% | 96% | 80% | |

| | # of reservoirs | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
|----------------------------|------------------|---------------|-----------------|---------------|----------------|--------------------|----------------------|--------------------|-------------------|---------------------|---|
| Southeastern Utah | | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Ken's Lake | | 1.3 | 1.3 | 1.5 | 2.3 | 57% | 56% | 65% | 87% | 86% | |
| | Basin-wide Total | 1.3 | 1.3 | 1.5 | 2.3 | 57% | 56% | 65% | 87% | 86% | |
| | # of reservoirs | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Upper Sevier River | | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Piute Reservoir | | 35.9 | 56.5 | 54.4 | 71.8 | 50% | 79% | 76% | 66% | 104% | |
| Otter Creek Reservoir | | 43.5 | 52.1 | 44.8 | 52.5 | 83% | 99% | 85% | 97% | 116% | |
| Panguitch Lake | | 10.1 | 9.9 | 15.9 | 22.3 | 45% | 44% | 71% | 64% | 62% | |
| | Basin-wide Total | 89.5 | 118.5 | 115.1 | 146.6 | 61% | 81% | 79% | 78% | 103% | |
| | # of reservoirs | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| San Pitch River | | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Gunnison Reservoir | | 0.0 | 3.3 | 14.2 | 20.3 | 0% | 16% | 70% | 0% | 23% | |
| | Basin-wide Total | | 3.3 | 14.2 | 20.3 | 0% | 16% | 70% | 0% | 23% | |
| | # of reservoirs | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Lower Sevier River | | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Sevier Bridge Reservoir | | 106.0 | 118.3 | 172.9 | 236.0 | 45% | 50% | 73% | 61% | 68% | |
| | Basin-wide Total | 106.0 | 118.3 | 172.9 | 236.0 | 45% | 50% | 73% | 61% | 68% | |
| | # of reservoirs | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Beaver River | | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Minersville Reservoir | | 10.7 | 11.3 | 16.5 | 23.3 | 46% | 49% | 71% | 65% | 69% | |
| | Basin-wide Total | 10.7 | 11.3 | 16.5 | 23.3 | 46% | 49% | 71% | 65% | 69% | |
| | # of reservoirs | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Southwestern Utah | | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Lake Powell | | 10845.9 | 9756.0 | 17123.0 | 24322.0 | 45% | 40% | 70% | 63% | 57% | |
| Lower Enterprise | | 1.4 | 0.8 | 1.4 | 2.6 | 54% | 31% | 55% | 99% | 56% | |
| Upper Enterprise | | 4.8 | 0.8 | 5.0 | 10.0 | 48% | 8% | 50% | 96% | 16% | |
| Kolob Reservoir | | 4.2 | 2.0 | | 5.6 | 74% | 35% | | | | |
| Gunlock | | 4.7 | 5.1 | 6.8 | 10.4 | 45% | 49% | 65% | 68% | 74% | |
| Sand Hollow Reservoir | | 37.9 | 37.1 | | 50.0 | 76% | 74% | | | | |
| Quail Creek | | 28.9 | 28.5 | 31.6 | 40.0 | 72% | 71% | 79% | 92% | 90% | |
| | Basin-wide Total | 10885.7 | 9791.2 | 17167.8 | 24385.0 | 45% | 40% | 70% | 63% | 57% | |
| | # of reservoirs | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| State | | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average | |
| Big Sand Wash Reservoir | | 24.3 | 24.6 | | 25.7 | 95% | 96% | | | | |
| Causey Reservoir | | 7.1 | 5.9 | 5.0 | 7.1 | 99% | 83% | 70% | 141% | 118% | |
| Cleveland Lake | | 4.7 | 3.7 | | 5.4 | 87% | 68% | | | | |
| Currant Creek Reservoir | | 15.3 | 14.3 | 14.9 | 15.5 | 99% | 92% | 96% | 103% | 96% | |
| Deer Creek Reservoir | | 145.8 | 134.6 | 122.0 | 149.7 | 97% | 90% | 81% | 119% | 110% | |
| East Canyon Reservoir | | 31.5 | 30.4 | 40.4 | 49.5 | 64% | 61% | 82% | 78% | 75% | |
| Echo Reservoir | | 45.6 | 42.7 | 54.4 | 73.9 | 62% | 58% | 74% | 84% | 79% | |
| Flaming Gorge Reservoir | | 3207.4 | 2968.0 | 3039.0 | 3749.0 | 86% | 79% | 81% | 106% | 98% | |
| Grantsville Reservoir | | 1.6 | 2.1 | 2.8 | 3.3 | 48% | 64% | 85% | 57% | 76% | |
| Gunlock | | 4.7 | 5.1 | 6.8 | 10.4 | 45% | 49% | 65% | 68% | 74% | |
| Gunnison Reservoir | | 0.0 | 3.3 | 14.2 | 20.3 | 0% | 16% | 70% | 0% | 23% | |
| Huntington North Reservoir | | 3.5 | 3.9 | 3.9 | 4.2 | 82% | 92% | 93% | 88% | 99% | |
| Hyrum Reservoir | | 14.8 | 14.6 | 14.1 | 15.3 | 96% | 95% | 92% | 105% | 103% | |
| Joes Valley Reservoir | | 42.0 | 34.4 | 40.1 | 61.6 | 68% | 56% | 65% | 105% | 86% | |
| Jordanelle Reservoir | | 211.7 | 170.0 | 247.1 | 320.0 | 66% | 53% | 77% | 86% | 69% | |
| Ken's Lake | | 1.3 | 1.3 | 1.5 | 2.3 | 57% | 56% | 65% | 87% | 86% | |
| Kolob Reservoir | | 4.2 | 2.0 | | 5.6 | 74% | 35% | | | | |
| Lost Creek Reservoir | | 15.0 | 14.6 | 14.6 | 22.5 | 67% | 65% | 65% | 103% | 100% | |
| Lower Enterprise | | 1.4 | 0.8 | 1.4 | 2.6 | 54% | 31% | 55% | 99% | 56% | |
| Miller Flat Reservoir | | 4.0 | 3.3 | | 5.2 | 76% | 63% | | | | |
| Millsite | | 11.8 | 11.6 | 11.2 | 16.7 | 71% | 70% | 67% | 105% | 104% | |
| Minersville Reservoir | | 10.7 | 11.3 | 16.5 | 23.3 | 46% | 49% | 71% | 65% | 69% | |
| Moon Lake Reservoir | | 36.4 | 26.1 | 27.6 | 35.8 | 102% | 73% | 77% | 132% | 94% | |
| Otter Creek Reservoir | | 43.5 | 52.1 | 44.8 | 52.5 | 83% | 99% | 85% | 97% | 116% | |
| Panguitch Lake | | 10.1 | 9.9 | 15.9 | 22.3 | 45% | 44% | 71% | 64% | 62% | |

